

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law Issue date: 8/2/2023 Revision date: 10/26/2023 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1. Product identifier** Product form : Mixture ZipChip Peptides BGE Product name 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses : Professional use Main use category : For research and development use only. Use of the substance/mixture Function or use category : Laboratory chemicals 1.2.2. Uses advised against Restrictions on use : Not for use in diagnostic procedures. 1.3. Details of the supplier of the safety data sheet Manufacturer 908 Devices 645 Summer St 02210 Boston, MA USA T 1 (857) 254 - 1500 908devices.com 1.4. Emergency telephone number Emergency number : 1 (844) 908 - 4357 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Acute Tox. 4 (Oral) H302 H319 Eye Irrit. 2 Full text of hazard classes, H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS02 GHS07 Signal word (CLP) : Danger Contains : Acetonitrile; Formic acid Hazard statements (CLP) : H225 - Highly flammable liquid and vapour. H302 - Harmful if swallowed. H319 - Causes serious eye irritation. Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 - Ground and bond container and receiving equipment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

protection.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetonitrile substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 75-05-8 EC-No.: 200-835-2 EC Index-No.: 608-001-00-3	< 50	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=11 mg/l/4h) Acute Tox. 4 (Inhalation:vapour), H332 (ATE=11 mg/l/4h) Eye Irrit. 2, H319
Formic acid substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit (Note B)	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0	< 2	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 (ATE=1100 mg/kg bodyweight) Acute Tox. 3 (Inhalation:vapour), H331 (ATE=7.85 mg/l/4h) Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Formic acid	EC-No.: 200-579-1 EC Index-No.: 607-001-00-0	(2 ≤ C < 10) Skin Irrit. 2, H315 (2 ≤ C < 10) Eye Irrit. 2, H319 (10 ≤ C < 90) Skin Corr. 1B, H314 (90 ≤ C < 100) Skin Corr. 1A, H314

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: '... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

First-aid measures after skin contact	: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash clothing before re-using. Get medical attention if irritation develops and persists.
First-aid measures after eye contact	 F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Dry chemical powder. Alcohol resistant foam. Carbon dioxide (CO2).Do not use a solid water stream as it may scatter and spread fire.	
5.2. Special hazards arising from the subst	ance or mixture	
Fire hazard Explosion hazard	 Highly flammable liquid and vapour. Products of combustion may include, and are not limited to: oxides of carbon. Nitrogen oxides. Hydrogen cyanide. Toxic vapours. irritating vapours. May form flammable/explosive vapour-air mixture. Heavier than air, vapours may travel long distances along ground, ignite and flash back to source. 	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	 Move containers away from the fire area if this can be done without risk. Cool closed containers exposed to fire with water spray. Prevent runoff from entering water courses, sewers and basements. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). 	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protectiv	e equipment and emergency procedures	
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges. Remove all sources of ignition.	
6.1.1. For non-emergency personnel		
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		

Prevent entry to sewers and public waters.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

6.3. Methods and material for containment and cleaning up		
For containment	 Stop leak if safe to do so. Remove ignition sources. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment. 	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. 	
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Wash hands, forearms and face thoroughly after handling.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions	 Proper grounding procedures to avoid static electricity should be followed. Keep out of the reach of children. Keep container tightly closed. Do not store in unlabelled containers. Store in dry, well-ventilated area. Keep cool. Keep out of direct sunlight. Containers which are opened should be properly resealed and kept upright to prevent leakage. Protect from physical damage. Store locked up. 	

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Acetonitrile (75-05-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	70 mg/m³	
IOEL TWA [ppm]	40 ppm	
Remark	Possibility of significant uptake through the skin	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	68 mg/m³	
WEL TWA (OEL TWA) [2]	40 ppm	
WEL STEL (OEL STEL)	102 mg/m³	
WEL STEL (OEL STEL) [ppm]	60 ppm	
Formic acid (64-18-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	9 mg/m³	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Formic acid (64-18-6)	
IOEL TWA [ppm]	5 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	9.6 mg/m³
WEL TWA (OEL TWA) [2]	5 ppm
WEL STEL (OEL STEL)	28.8 mg/m³ (calculated)
WEL STEL (OEL STEL) [ppm]	15 ppm (calculated)

8.1.2. Recommended monitoring procedures

Monitoring methods		
	Monitoring methods	Consult the relevant monitoring standards for the region.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety eyewear complying with an approved standard such as the European Standard EN166 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

8.2.2.2. Skin protection

Skin and body protection:

Chemical resistant apron. Flame retardant and anti-static material recommended.

Hand protection:

Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

8.2.2.4. Thermal hazards

Thermal hazard protection:

Not required for normal conditions of use.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and c	hemical properties	
Physical state	: Liquid	
Appearance	: Transparent.	
Colour	: No data available	
Odour	: Pungent.	
Odour threshold	: No data available	
pH	: 2.2	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 81 °C (177.8 °F)	
Flash point	: 2 °C (35.6 °F)	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Highly flammable liquid and vapour.	
Vapour pressure	: No data available	
Relative vapour density at 20°C	: No data available	
Relative density	: No data available	
Solubility	: Water: 100 %	
Partition coefficient n-octanol/water	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Sparks. open flames. Incompatible materials. Sources of ignition. Direct sunlight.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers. Halogenated compounds. Perchlorates. Sulfites.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Nitrogen oxides. Hydrogen cyanide. May release flammable gases.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) Acute toxicity (dermal) Harmful if swallowed.Not classified.

10/26/2023 (Revision date)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Acute toxicity (inhalation)	: Not classified.
ZipChip Peptides BGE	
ATE CLP (oral)	318.149 mg/kg bodyweight
Acetonitrile (75-05-8)	
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	26.8 mg/l/4h
Formic acid (64-18-6)	
LD50 oral rat	1100 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat	7.85 mg/l/4h
Skin corrosion/irritation	: Not classified. pH: 2.2
Additional information	 βπ. 2.2 Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Causes serious eye irritation. pH: 2.2
Respiratory or skin sensitisation	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
Carcinogenicity Additional information	 Not classified. Based on available data, the classification criteria are not met.
Formic acid (64-18-6)	
NOAEL (chronic, oral, animal/male, 2 years)	400 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453
	(Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
STOT-single exposure Additional information	 Not classified. Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
Acetonitrile (75-05-8)	
NOAEC (inhalation, rat, gas, 90 days)	400 ppm Animal: rat, Guideline: other:
Formic acid (64-18-6)	
LOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
Aspiration hazard	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: May cause long-term adverse effects in the aquatic environment.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

iandei Haardoo to aquatic environment, long-term is No classified. Haradoo to fue aquatic environment, long-term is No classified. Actionation of the aquatic environment, long-term is No classified. Haradoo to fue aquatic				
LG50 - Fish [1] 1600 - 1690 mg/l (Exposure time: 96 h - Species: Prinephales promelas [flow-through]) LG50 - Fish [2] 1000 mg/l Test organisms (species): Prinephales promelas [flow-through]) LG50 - Crustacoa [1] > 1000 mg/l Test organisms (species): Prinephales promelas [flow-through]) LG50 72h - Algae [1] 3600 mg/l Test organisms (species): Phaeodact/jum tricomutum LG50 (chronic) > 990 mg/l Test organisms (species): Phaeodact/jum tricomutum LG50 (chronic) > 990 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NDEC (chronic) 990 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NDEC chronic fish 102 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NDEC chronic fish 120 mg/l Test organisms (species): Daphnia magna Duration: '21 d' Secon Crustacca [1] 130 mg/l Test organisms (species): Daphnia magna Static)) EC50 - Crustacca [2] 138 - 165 Gr // (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacca [1] 25 mg/l (Species: Desmodesmus subspicatus) EC50 - Crustacca [2] 138 - 165 Gr // (Exposure time: 48 h - Species: Daphnia magna Duration: '21 d' EC50 - Crustacca [1] 25 mg/l (Species: Desmodesmus subspicatus) EC50 - Crustacca [1] 25 mg/l (Species: Desmodesmus subspicatus)				
LC50 - Fish [2] 1000 mg/l (Exposure time: 96 h - Species: Pimephales prometas [static]) EC50 - Crustacea [1] > 1000 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [2] 9666 mg/l Test organisms (species): Phaeodact/um ticomutum EC50 72h - Algae [2] 9666 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NCEC (chronic) > 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NCEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NCEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NCEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NCEC (chronic) 130 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NCEC (chronic) 120 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Grustacea [2] 25 mg/l (Species: Desmodesmus subspicatus) EC50 - Grustacea [2] 25 mg/l (Species: Desmodesmus subspicatus) EC50 - Grustacea [2] 25 mg/l (Species: Desmodesmus subspicatus) EC50 - Grustacea [2] 25 mg/l (Species: Desmodesmus subspicatus) EC50 - Grustacea and degradability Not estabi	Acetonitrile (75-05-8)			
EC50 - Crustacea [1] > 1000 mgl Test organisms (species): Daphnia magna EC50 - Crustacea [1] 3560 mgl Test organisms (species): Phaeodactylum tricomutum EC50 72h - Algaa [2] 9666 mgl Test organisms (species): Phaeodactylum tricomutum LOEC (chronic) > 9600 mgl Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 960 mgl Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 960 mgl Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 102 mgl Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 102 mgl Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 120 mgl Test organisms (species): Daphnia magna Statio]) EC50 - Crustacea [1] 120 mgl (Exposure time: 48 h - Species: Daphnia magna [Statio]) EC50 - Crustacea [2] 138 - 165.6 mgl (Exposure time: 48 h - Species: Daphnia magna [Statio]) EC50 - Crustacea [2] 126 mgl (Species: Desmodesmus subspicatus) EC50 - Crustacea [2] 25 mgl (Species: Desmodesmus subspicatus) EC50 - Chronic) > 100 mgl Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mgl Test organisms (species): Daphnia magna Duration: '21 d' Statistacea and degradability No	LC50 - Fish [1]	1600 – 1690 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 72h - Algae [1] 3600 mg/l Test organisms (species): Phaeodactylum tricomutum EC50 72h - Algae [2] 9696 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 9600 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 130 mg/l Test organisms (species): Daphnia magna) EC50 - Chustacea [1] 130 mg/l Test organisms (species): Daphnia magna) EC50 - Chustacea [2] 138 - 166.5 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Chustacea [2] 138 - 166.5 mg/l (Species: Desmodesmus subspicatus) EC50 - Chustacea [2] 25 mg/l (Species: Desmodesmus subspicatus) EC50 (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' LOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' LOEC (chronic) >	LC50 - Fish [2]	1000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 72h - Algae [2] 9996 mg/l Test organisms (species): Daphnia magna Duration: '21 d' LOEC (chronic) > 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC chronic fish 102 mg/l Test organisms (species): Daphnia magna Duration: '21 d' Fornic acid (64-18-6) E LC50 - Fish [1] 130 mg/l Test organisms (species): Daphnia magna Duration: '21 d' EC50 - Crustacea [1] 120 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 72h - Algae [1] 26.9 mg/l (Species: Desmodesmus subspicatus) EC50 96h - Algae [1] 25 mg/l (Species: Desmodesmus subspicatus) EC50 96h - Algae [1] 25 mg/l (Species: Desmodesmus subspicatus) LC5C (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' ROEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' ROEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' ROEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' ROEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Durati	EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna		
LOEC (chronic) > 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC chronic fish 102 mg/l Test organisms (species): Daphnia magna Duration: '21 d' Fornic acid (64-18-6) 102 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Fish [1] 130 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Crustacea [1] 120 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 – 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna (Static)) EC50 - Crustacea [2] 28 9 mg/l (Species: Desmodesmus subspicatus) EC50 - Grustacea [1] 25 mg/l (Species: Desmodesmus subspicatus) EC50 - Grunic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NECE Chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' Static Chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	EC50 72h - Algae [1]	3560 mg/l Test organisms (species): Phaeodactylum tricornutum		
NOEC (chronic) 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC chronic fish 102 mg/l Test organisms (species): Oryzias latipes Duration: '21 d' Fornic acid (64-18-6) 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Fush [1] 130 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Crustacea [1] 120 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 - Crustacea [2] 26 9 mg/l (Species: Desmodesmus subspicatus) EC50 - Grustacea [2] 26 9 mg/l (Species: Desmodesmus subspicatus) LOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability Not established. 12.3. Bioaccumulative potential Not established. 13. Bioaccumulative potential Not established. Acctonitile (75-05-8) - Partition coefficient n-octanol/water -0.34 Fornic acid (64-18-6) - Partition coefficient n-octanol/water -1.9 (at 23 'C (at pH 5)	EC50 72h - Algae [2]	9696 mg/l Test organisms (species): Phaeodactylum tricornutum		
NOEC chronic fish 102 mg/l Test organisms (species): Oryzias latipes Duration: '21 d' Fornic acid (64-18-6) Interface LC50 - Fish [1] 130 mg/l Test organisms (species): Danio retio (previous name: Brachydanio retio) EC50 - Crustacea [1] 120 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 28 9 mg/l (Species: Desmodesmus subspicatus) EC50 - Crustacea [1] 25 mg/l (Species: Desmodesmus subspicatus) LOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability Not established. 12.1. Portices BGE Interface Boaccumulative potential Not established. 13. Bioaccumulative potential Not established. 14. Cotolifient n-octanol/water -0.34 <td>LOEC (chronic)</td> <td>> 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d'</td>	LOEC (chronic)	> 960 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
Construction of the second se	NOEC (chronic)	960 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
LC50 - Fish [1] 130 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 - Crustacea [1] 120 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 26.9 mg/l (Species: Desmodesmus subspicatus) EC50 - Crustacea [2] 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability Not established. 12.3. Bioaccumulative potential Not established. 210 Fup Peptides BGE Isoacumulative potential Acetonitrile (75-05-8) O Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6)	NOEC chronic fish	102 mg/l Test organisms (species): Oryzias latipes Duration: '21 d'		
EC50 - Crustacea [1] 120 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 - Crustacea [2] 2.5 mg/l (Species: Desmodesmus subspicatus) EC50 - Crustacea [1] 2.5 mg/l (Species: Desmodesmus subspicatus) LOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability Not established. 12.3. Bioaccumulative potential Not established. 21pChip Peptides BGE Not established. 21pChip Peptides BGE Partition coefficient n-octanol/water Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6) Partition coefficient n-octanol/water Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No No additional information available 12.5. Results of PBT and vPvB assessment	Formic acid (64-18-6)			
EC50 - Crustacea [2] 138 - 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 72h - Algae [1] 26.9 mg/l (Species: Desmodesmus subspicatus) EC50 96h - Algae [1] 25 mg/l (Species: Desmodesmus subspicatus) LOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability Not established. 12.3. Bioaccumulative potential Not established. 12.3. Bioaccumulative potential Not established. Acetonitrile (75-05-8) Partition coefficient n-octanol/water Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6) (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No No additional information available 12.2 mensionless) 12.4. Mobility in soil No	LC50 - Fish [1]	130 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 72h - Algae [1] 26.9 mg/l (Species: Desmodesmus subspicatus) EC50 72h - Algae [1] 25 mg/l (Species: Desmodesmus subspicatus) LOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) ≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability 2100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability Not established. 12.3. Bioaccumulative potential Vot established. 12.3. Bioaccumulative potential Not established. 2ipChip Peptides BGE Not established. Bioaccumulative potential Not established. Acctonitrile (75-05-8) 0.34 Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6) 0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5)) 12.4. Mobility in soil No Ne additional information available 12.5. Results of PBT and vPvB assessment	EC50 - Crustacea [1]	120 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
C50 96h - Algae [1] 25 mg/l (Species: Desmodesmus subspicatus) LOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability Not established. 12.3. Bioaccumulative potential Not established. 12.3. Bioaccumulative potential Not established. 2ipChip Peptides BGE Not established. Bioaccumulative potential Not established. Acctonitrile (75-05-8) Partition coefficient n-octanol/water Pornic acid (64-18-6) (0.22 dimensionless) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No No additional information available 12.5. Results of PBT and vPvB assessment PBT ! No VPB : No	EC50 - Crustacea [2]	138 – 165.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
LOEC (chronic) > 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) ≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability ZipChip Peptides BGE Persistence and degradability 13.3. Bioaccumulative potential ZipChip Peptides BGE Bioaccumulative potential Acetonitrile (75-05-8) Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No No additional information available 12.5. Results of PBT and vPvB assessment PBT ! No	EC50 72h - Algae [1]	26.9 mg/l (Species: Desmodesmus subspicatus)		
NOEC (chronic) ≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' 12.2. Persistence and degradability Image: Persistence and degradability ZipChip Peptides BGE Not established. 12.3. Bioaccumulative potential Image: Persistence and degradability ZipChip Peptides BGE Image: Persistence and degradability Bioaccumulative potential Not established. ZipChip Peptides BGE Image: Persistence and Comparison of the stablished. Acetonitrile (75-05-8) Image: Persistence and (64-18-6) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5)) 12.4. Mobility in soil Image: Persistence and vPvB assessment Persistence and vPvB assessment Image: Persistence and vPvB assessment	EC50 96h - Algae [1]	25 mg/l (Species: Desmodesmus subspicatus)		
12.2. Persistence and degradability ZipChip Peptides BGE Persistence and degradability Not established. 12.3. Bioaccumulative potential ZipChip Peptides BGE Bioaccumulative potential Acetonitrile (75-05-8) Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No No additional information available Image: Second s	LOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
ZipChip Peptides BGE Persistence and degradability Not established. 12.3. Bioaccumulative potential ZipChip Peptides BGE Bioaccumulative potential Acetonitrile (75-05-8) Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5)) 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment PBT : No PVB : No	NOEC (chronic)	≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
Persistence and degradability Not established. 12.3. Bioaccumulative potential Image: stablished. ZipChip Peptides BGE Not established. Bioaccumulative potential Not established. Acetonitrile (75-05-8) -0.34 Partition coefficient n-octanol/water -0.34 Fornic acid (64-18-6) Up (22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No No additional information available Image: stablished stablishe	12.2. Persistence and degradability			
12.3. Bioaccumulative potential Image: space spac	ZipChip Peptides BGE			
ZipChip Peptides BGE Bioaccumulative potential Not established. Acetonitrile (75-05-8) Partition coefficient n-octanol/water -0.34 Fornic acid (64-18-6) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No additional information available PBT : No PBT : No PBT : No	Persistence and degradability	Not established.		
Bioaccumulative potential Not established. Acetonitrile (75-05-8) -0.34 Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6) (0.22 dimensionless) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) ILA. Mobility in soil No additional information available PBT and vPvB assessment PBT E NO VPvB : No	12.3. Bioaccumulative potential			
Acetonitrile (75-05-8) Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No additional information available PBT of PBT and vPvB assessment PBT of VPvB : No VPvB : No	ZipChip Peptides BGE			
Partition coefficient n-octanol/water -0.34 Formic acid (64-18-6) (0.22 dimensionless) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment PBT PBT E NO vPvB : No	Bioaccumulative potential	Not established.		
Formic acid (64-18-6) BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil -1.9 (at 23 °C (at pH 5) No additional information available -1.9 (at 23 °C (at pH 5) 12.5. Results of PBT and vPvB assessment PBT PBT : No vPvB : No				
BCF - Fish [1] (0.22 dimensionless) Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment PBT : No vPvB : No	Partition coefficient n-octanol/water	-0.34		
Partition coefficient n-octanol/water -1.9 (at 23 °C (at pH 5) 12.4. Mobility in soil -1.9 (at 23 °C (at pH 5) No additional information available -1.9 (at 23 °C (at pH 5) 12.5. Results of PBT and vPvB assessment -1.9 (at 23 °C (at pH 5) PBT : No vPvB : No	Formic acid (64-18-6)			
12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment PBT : No vPvB : No	BCF - Fish [1]	(0.22 dimensionless)		
No additional information available 12.5. Results of PBT and vPvB assessment PBT : No vPvB : No	Partition coefficient n-octanol/water	-1.9 (at 23 °C (at pH 5)		
12.5. Results of PBT and vPvB assessment PBT : No vPvB : No	12.4. Mobility in soil			
PBT : No vPvB : No	No additional information available			
vPvB : No	12.5. Results of PBT and vPvB assessment			
	ZipChip Peptides BGE			

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

5 - 5 (-) ,			
ZipChip Peptides BGE			
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
12.6. Other adverse effects			
Additional information	: No other effects known		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible.		

: Handle empty containers with care because residual vapours are flammable.

Additional information

SECTION 14: Transport information			
In accordance with ADR / IMDG / IATA			
14.1 UN number			
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	: UN 1648 : UN 1648 : UN 1648		
14.2. UN proper shipping name			
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: ACETONITRILE : ACETONITRILE : Acetonitrile		
14.3. Transport hazard class(es)			
ADR Transport hazard class(es) (ADR) Danger labels (ADR)			
IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)			
IATA Transport hazard class(es) (IATA) Danger labels (IATA)	$\begin{array}{c} 3 \\ 3 \\ \end{array}$		

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

14.4. Packing group		
Packing group (ADR)	: 11	
Packing group (IMDG)	: II	
Packing group (IATA)	: 11	
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
Other information	: No supplementary information available.	
14.6. Special precautions for user		
Special transport precautions	: Do not handle until all safety precautions have been read and understood.	
Overland transport		
Limited quantities (ADR)	: 11	
Orange plates	33 1648	
EAC code	: •2YE	
Transport by sea		
Limited quantities (IMDG)	: 1L	
Air transport	. 41	
PCA limited quantity max net quantity (IATA) PCA max net quantity (IATA)	: 1L : 5L	
	. JL	
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code		

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no REACH candidate substance.

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

15.1.2. National regulations

United Kingdom

British National Regulations

: Not determined.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
14	Transport information	Modified	V1.1
SDS	Name	Modified	V1.1

Abbreviations and acronyms:

PB	3T - Persistent, Bioaccumulative and Toxic	
OE	EL – Occupational Exposure Limit	
N.C	O.S. – Not Otherwise Specified	
NO	D(A)EL – No Observed (Adverse) Effect Level	
NO	DEC – No Observed Effect Concentration	
NIC	OSH – National Institute for Occupational Safety and Health	
Mir	n – Minutes	
mg	g/m3 – Milligram per cubic meter	
mg	g/kg – Milligram per kilogram	
mg	g/I – Milligram per liter	
LO	DAEL – Lowest Observed Adverse Effect level	
LD	050 – Median Lethal Dose	
LC	250 – Median Lethal Concentration	
Ko	w – Octanol-Water Partition Coefficient	
Ko	oc – Adsorption Coefficient	
kPa	'a – kilopascal	
KIF	FS – Swedish Chemicals Agency's (Keml's) Code of Statutes	
IOE	ELV – Indicative Occupational Exposure Limit Value	
IM	DG – International Maritime Dangerous Goods	
IDL	LH – Immediately Dangerous to Life or Health	
IC5	50 – Inhibition concentration	
IAT	TA – International Air Transport Association	
h –	- Hours	
GH	HS – Globally Harmonized System of Classification and Labelling of Chemicals	
ΕU	J – European Union	
EC	C-No. – European Community number	
EC	CHA – European Chemicals Agency	
EC	C50 – Half maximal effective concentration	
DM	MEL – Derived Minimal Effect Level	
DN	NEL – Derived No-effect Level	
cSt	t – centistokes (unit of kinematic viscosity)	
сΡ	P – centipoise (unit of dynamic viscosity)	
CN	MR – Carcinogen, Mutagen, Reproductive toxin	
	P – Regulation (EC) No 1272/2008 on the Classification, Labeling and Packaging of substances and mixtures.	
	AS – Chemical Abstracts Service	
BE	El – Biological Exposure Index	
	CF – Bioconcentration Factor	
	E – Acute Toxicity Estimate	
	CGIH – American Conference of Governmental Industrial Hygienists	
	DR – European Agreement concerning the International Carriage of Dangerous Goods by Road.	
	– Degrees Fahrenheit	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Abbreviations and acronyms:

Abbreviations and acronyms:
PCN – Poison Centre Notification
PNEC – Predicted No Effect Concentration
ppm – Parts per million
PVC – Polyvinyl chloride
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID – European Agreement concerning the International Carriage of Dangerous Goods by Rail
SDS – Safety Data Sheet
STEL – Short Term Exposure Limit
STOT – Specific Target Organ Toxicity
SVHC – Substance of Very High Concern (CMR, vPvB, PBT)
TDI – Tolerable Daily Intake
TLV – Threshold Limit Value
TWA – Time Weighted Average
UFI – Unique Formulation Identifier
UN – United Nations
vPvB - Very Persistent and Very Bioaccumulative
WEL – Workplace Exposure Limit
WGK – Wassergefahrdungklasse – German water quality classification

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information Prepared by

- : None.
- Nexreg Compliance Inc. www.Nexreg.com
- NEXREG

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Full text of H- and EUH-statements:		
Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A		
Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Irrit. 2 Skin corrosion/irritation, Category 2		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2 H225		On basis of test data
Acute Tox. 4 (Oral)	H302	Calculation method
Eye Irrit. 2	H319	Calculation method

Safety Data Sheet (SDS), EU - Nexreg Annex II 2022

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.