

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Issue date: 4/28/2023 Revision date: 10/26/2023 Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form Product name	: Mixture : ZipChip Native Antibodies Diluent
1.2. Recommended use and restrictions o	n use
Use of the substance/mixture Restrictions on use	For research and development use only.Not for use in diagnostic procedures.
1.3. Supplier	
Manufacturer 908 Devices 645 Summer St Boston, MA, 02210 USA T 1 (857) 254 - 1500 <u>908devices.com</u>	
1.4. Emergency telephone number	
Emergency number	: 1 (844) 908 - 4357
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix GHS US classification Flam. Liq. 3	t ure Flammable liquid and vapor
2.2. GHS Label elements, including precau	utionary statements
GHS US labeling Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 Warning Flammable liquid and vapor Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store in a well-ventilated place. Keep cool. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

No additional information available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures		
Name	Product identifier	%
Isopropyl alcohol	CAS-No.: 67-63-0	< 10
*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret		·

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
First-aid measures after skin contact	: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash clothing before re-using. Get medical attention if irritation develops and persists.	
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects (acute and delayed)		
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.	
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	 Water spray. Dry chemical. Alcohol foam. Carbon dioxide (CO2). Do not use a solid water stream as it may scatter and spread fire. 	
5.2. Specific hazards arising from the chemical		
Fire hazard	: Flammable liquid and vapor. Products of combustion may include, and are not limited to: oxides of carbon.	
Explosion hazard	: May form flammable/explosive vapor-air mixture. Heavier than air, vapors may travel long distances along ground, ignite and flash back to source.	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions :	Move containers away from the fire area if this can be done without risk. Cool closed containers exposed to fire with water spray. Prevent runoff from entering water courses, sewers and basements.	
Protection during firefighting :	Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective e	quipment and emergency procedures	
General measures	 Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges. Remove all sources of ignition. 	
6.1.1. For non-emergency personnel		
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
Prevent entry to sewers and public waters.		
6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Remove ignition sources. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapors are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Take precautionary measures against static discharge. Use only non-sparking tools. 	
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions	 Proper grounding procedures to avoid static electricity should be followed. Keep out of the reach of children. Keep container tightly closed. Do not store in unlabelled containers. Store in dry, well-ventilated area. Keep cool. Keep out of direct sunlight. Containers which are opened should be properly resealed and kept upright to prevent leakage. Protect from physical damage. Protect from freezing. 	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

8.1. Control parameters		
ZipChip Native Antibodies Diluent		
No additional information available		
Isopropyl alcohol (67-63-0)		
USA - ACGIH - Occupational Exposure L	imits	
Local name	2-Propanol	
ACGIH OEL TWA [ppm]	200 ppm	
ACGIH OEL STEL [ppm]	400 ppm	
Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Regulatory reference	ACGIH 2023	
USA - ACGIH - Biological Exposure Indic	es	
Local name	2-PROPANOL	
BEI (BLV)	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift at end of workweek (background, nonspecific)	
Regulatory reference	ACGIH 2023	
USA - OSHA - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
OSHA PEL (TWA) [1]	980 mg/m³	
OSHA PEL (TWA) [2]	400 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
USA - IDLH - Occupational Exposure Lim	its	
IDLH [ppm]	2000 ppm (10% LEL)	
USA - NIOSH - Occupational Exposure Li	mits	
NIOSH REL (TWA)	980 mg/m³	
NIOSH REL TWA [ppm]	400 ppm	
NIOSH REL (STEL)	1225 mg/m ³	
NIOSH REL STEL [ppm]	500 ppm	
8.2. Appropriate engineering controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.	
Environmental exposure controls : Avoid release to the environment.		

Hand protection:

Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Eye protection:

Safety glasses or goggles are recommended when using product.

Skin and body protection:

Chemical resistant apron. Flame retardant and anti-static material recommended

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless liquid.
Color	: Colorless liquid
Odor	: No data available
Odor threshold	: No data available
рН	: 5.2 – 5.8
Melting point	: 0 °C (32°F)
Freezing point	No data available
Boiling point	: 90 – 100 °C (194°-212°F)
Flash point	: > 29 °C (84°F)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable liquid and vapor.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.99
Solubility	: Miscible.
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use. Contact with metals produces hydrogen gas which may form explosive mixtures with air.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

10.2. Chemical stability

Stable under normal conditions. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Sparks. Open flame. Incompatible materials. Sources of ignition. Direct sunlight.

10.5. Incompatible materials

Strong oxidizing agents. Nitrates. Perchlorates. Sulfuric acid. Aluminum. This material may attack some forms of plastics, rubbers and coatings.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
Isopropyl alcohol (67-63-0)	
LD50 oral rat	5840 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	4059 mg/kg
LC50 inhalation rat	> 10000 ppm (Exposure time: 6 h)
Skin corrosion/irritation	: Not classified pH: 5.2 – 5.8
Serious eye damage/irritation	: Not classified. pH: 5.2 – 5.8
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Isopropyl alcohol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Isopropyl alcohol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	 May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: May cause long-term adverse effects in the aquatic environment.	
Isopropyl alcohol (67-63-0)		
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas	
EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)	
12.2. Persistence and degradability		
ZipChip Native Antibodies Diluent		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
ZipChip Native Antibodies Diluent		
Bioaccumulative potential	Not established.	
Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water	0.05 (at 25 °C)	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Other information	: No other effects known.	

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible.	
Additional information	: Handle empty containers with care because residual vapors are flammable.	

SECTION 14: Transport information		
In accordance with DOT / IMDG / IATA		
14.1. UN number		
DOT NA No UN-No. (IMDG) UN-No. (IATA)	: UN1993 : UN1993 : UN1993	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

14.2. UN proper shipping name			
Proper Shipping Name (DOT) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Flammable liquid, n.o.s. (Isopropyl Alcohol) FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL) Flammable liquid, n.o.s. (Isopropyl Alcohol) 		
14.3. Transport hazard class(es)			
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 3 : 3		
IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	$\begin{array}{c} \vdots \\ 3 \\ \vdots \\ 3 \end{array}$		
IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	: 3 : 3		
14.4. Packing group			
Packing group (DOT) Packing group (IMDG) Packing group (IATA)	: III : III : III		
14.5. Environmental hazards			
Other information	: No supplementary information available.		
14.6. Special precautions for user			
Special transport precautions	: Do not handle until all safety precautions have been read and understood.		
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code			
Not applicable			

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Prepared by	: Nexreg Compliance Inc. www.Nexreg.com	N E X R E G
Revision date Other information	: 10/26/2023 : None.	
Issue date	: 04/28/2023	
according to the Hazard Communion	cation Standard (CFR29 1910.1200) HazCom 2012.	

Flam. Liq. 3 Flammable liquids Category 3

Indication of changes:				
Section	Changed item	Change	Comments	
14	Transport information	Modified	V1.1	
SDS	Product name	Modified	V1.1	

Safety Data Sheet (SDS), USA

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.