

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Issue date: 4/28/2023 Revision date: 10/26/2023 Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form Product name	: Mixture : ZipChip Intact Antibodies BGE
1.2. Recommended use and restrictions or	n use
Use of the substance/mixture Restrictions on use	For research and development use only.Not for use in diagnostic procedures.
1.3. Supplier	
Manufacturer 908 Devices 645 Summer St Boston, MA, 02210 USA T 1 (857) 254 - 1500 <u>908devices.com</u>	
1.4. Emergency telephone number	
Emergency number	: 1 (844) 908 - 4357
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixe GHS US classification Flam. Liq. 3	ture Flammable liquid and vapor
2.2. GHS Label elements, including precau	tionary statements
GHS US labeling Hazard pictograms (GHS US)	

No additional information available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

0.0 Misster

3.2. MIXtures		
Name	Product identifier	%
Isopropyl alcohol	CAS-No.: 67-63-0	< 9
Acetic acid	CAS-No.: 64-19-7	< 1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures		
4.1. Description of first aid measures	;	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
First-aid measures after skin contact	: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash clothing before re-using. Get medical attention if irritation develops and persists.	
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects (acute and delayed)		
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.	
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	 May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. 	
Symptoms/effects after ingestion	 May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. 	

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extingu	uishing media	
Suitable extinguishing media Unsuitable extinguishing media	Dry chemical powder. Alcohol-resistant foam. Carbon dioxide (CO2).Do not use water jet.	
5.2. Specific hazards arising from the chemical		
Fire hazard	: Flammable liquid and vapor. Products of combustion may include, and are not limited to: oxides of carbon.	
Explosion hazard	: May form flammable/explosive vapor-air mixture.	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

5.3. Special protective equipment and precau	Itions for fire-fighters	
Firefighting instructions :	Move containers away from the fire area if this can be done without risk. Cool closed containers exposed to fire with water spray.	
Protection during firefighting :	Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	
SECTION 6: Accidental release measure	S	
6.1. Personal precautions, protective equipm	ent and emergency procedures	
General measures :	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges. Remove all sources of ignition.	
6.1.1. For non-emergency personnel		
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
Prevent entry to sewers and public waters.		
6.3. Methods and material for containment and cleaning up		
For containment :	Stop leak if safe to do so. Remove ignition sources. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.	
Methods for cleaning up :	Sweep or shovel spills into appropriate container for disposal. Provide ventilation.	

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	 Handle empty containers with care because residual vapors are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Take precautionary measures against static discharge. Use only non-sparking tools. Wash contaminated clothing before reuse. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures Storage conditions	 Proper grounding procedures to avoid static electricity should be followed. Keep out of the reach of children. Keep container tightly closed. Do not store in unlabelled containers. Store in a dry, cool and well-ventilated place. Keep cool. Keep out of direct sunlight. Containers which are opened should be properly resealed and kept upright to prevent leakage. Protect from physical damage.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 8: Exposure controls/personal	SECTION 8: Exposure controls/personal protection	
8.1. Control parameters		
ZipChip Intact Antibodies BGE		
No additional information available		
Isopropyl alcohol (67-63-0)		
USA - ACGIH - Occupational Exposure Limits		
Local name	2-Propanol	
ACGIH OEL TWA [ppm]	200 ppm	
ACGIH OEL STEL [ppm]	400 ppm	
Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Regulatory reference	ACGIH 2023	
USA - ACGIH - Biological Exposure Indices		
Local name	2-PROPANOL	
BEI (BLV)	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift at end of workweek (background, nonspecific)	
Regulatory reference	ACGIH 2023	
USA - OSHA - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
OSHA PEL (TWA) [1]	980 mg/m³	
OSHA PEL (TWA) [2]	400 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
USA - IDLH - Occupational Exposure Limits		
IDLH [ppm]	2000 ppm (10% LEL)	
USA - NIOSH - Occupational Exposure Limits	·	
NIOSH REL (TWA)	980 mg/m³	
NIOSH REL TWA [ppm]	400 ppm	
NIOSH REL (STEL)	1225 mg/m ³	
NIOSH REL STEL [ppm]	500 ppm	
Acetic acid (64-19-7)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	10 ppm	
ACGIH OEL STEL [ppm]	15 ppm	
USA - OSHA - Occupational Exposure Limits	·	
OSHA PEL (TWA) [1]	25 mg/m³	
OSHA PEL (TWA) [2]	10 ppm	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Acetic acid (64-19-7)		
USA - IDLH - Occupational Exposure Limits		
IDLH [ppm]	50 ppm	
USA - NIOSH - Occupational Exposure Limits		
NIOSH REL (TWA)	25 mg/m³	
NIOSH REL TWA [ppm]	10 ppm	
NIOSH REL (STEL)	37 mg/m³	
NIOSH REL STEL [ppm]	15 ppm	
8.2. Appropriate engineering controls		
Appropriate engineering controls :	Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.	
Environmental exposure controls :	Avoid release to the environment.	
8.3. Individual protection measures/Personal	protective equipment	
Hand protection:		
Wear suitable gloves		
Eye protection:		
Safety glasses or goggles are recommended when using product.		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.		
The small be read a sector tion :		

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless liquid.
Color	: Colorless
Odor	: No data available
Odor threshold	: No data available
рН	: 3.2 – 3.4
Melting point	: ≈0°C
Freezing point	: 90 – 100 °C
Boiling point	: No data available
Flash point	: ≈ 41 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Flammable liquid and vapor.
Vapor pressure	: No data available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Relative vapor density at 20°C Relative density Solubility Partition coefficient n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosion limits Explosive properties	 No data available 0.99 Miscible. No data available
Explosive properties Oxidizing properties	: No data available : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air.

10.4. Conditions to avoid

Heat. Incompatible materials. Sources of ignition. Direct sunlight.

10.5. Incompatible materials

Strong bases. Strong oxidizers. Nitrates. Perchlorates. Sulfuric acid. This material may attack some forms of plastics, rubbers and coatings.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (dermal)	Not classified Not classified Not classified
Isopropyl alcohol (67-63-0)	
LD50 oral rat	5840 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	4059 mg/kg
LC50 inhalation rat	> 10000 ppm (Exposure time: 6 h)
Acetic acid (64-19-7)	
LD50 oral rat	3310 mg/kg body weight Animal: rat

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Acetic acid (64-19-7)	
LD50 oral	4960 mg/kg body weight Animal: mouse
LD50 dermal rabbit	1060 mg/kg
LC50 inhalation rat	11.4 mg/l/4h
Skin corrosion/irritation	: Not classified pH: 3.2 – 3.4
Acetic acid (64-19-7)	
рН	2.4 (conc: 1 M (aqueous solution)
Serious eye damage/irritation	: Not classified. pH: 3.2 – 3.4
Acetic acid (64-19-7)	
рН	2.4 (conc: 1 M (aqueous solution)
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified
Isopropyl alcohol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity STOT-single exposure	: Not classified : Not classified
Isopropyl alcohol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Acetic acid (64-19-7)	
NOAEL (oral,rat,90 days)	290 mg/kg body weight Animal: rat, Animal sex: male
Aspiration hazard Viscosity, kinematic	: Not classified : No data available
Acetic acid (64-19-7)	
Viscosity, kinematic	1.015 mm²/s
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 May cause irritation to the respiratory tract. May cause skin irritation. Repeated exposure may cause skin dryness or cracking. May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	 May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity		
Ecology - general : May cause long-term adverse effects in the aquatic environment.		
Isopropyl alcohol (67-63-0)		
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
.C50 - Fish [2] 9640 mg/l Test organisms (species): Pimephales promelas		

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Isopropyl alcohol (67-63-0)					
EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)				
EC50 96h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)				
Acetic acid (64-19-7)					
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)				
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna				
LC50 - Fish [2]	> 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)				
EC50 - Crustacea [2]	> 300.82 mg/l Test organisms (species): Daphnia magna				
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Skeletonema costatum				
EC50 72h - Algae [2]	> 300.82 mg/l Test organisms (species): Skeletonema costatum				
12.2. Persistence and degradability					
ZipChip Intact Antibodies BGE					
Persistence and degradability	Not established.				
12.3. Bioaccumulative potential					
ZipChip Intact Antibodies BGE					
Bioaccumulative potential	Not established.				
Isopropyl alcohol (67-63-0)					
Partition coefficient n-octanol/water	0.05 (at 25 °C)				
Acetic acid (64-19-7)					
Partition coefficient n-octanol/water	-0.17 (at 25 °C (at pH 7)				
12.4. Mobility in soil					
No additional information available					
12.5. Other adverse effects					
Other information	: No other effects known.				
SECTION 13: Disposal considerations					
13.1. Disposal methods					
Product/Packaging disposal recommendations Additional information	 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible. Handle empty containers with care because residual vapors are flammable. 				

SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

14.1. UN number	
DOT NA No UN-No. (IMDG) UN-No. (IATA)	: UN1219 : UN1219 : UN1219
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: Isopropanol Solution : ISOPROPANOL SOLUTION : Isopropanol Solution
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 3 : 3
IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	$\begin{array}{c} : 3 \\ : 3 \\ \hline \end{array}$
IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	: 3 : 3
14.4. Packing group	
Packing group (DOT) Packing group (IMDG) Packing group (IATA)	: II : II : II
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
14.7. Transport in bulk according to Ar	nex II of MARPOL 73/78 and the IBC Code
Not applicable	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Issue date	:	04/28/2023
Revision date	:	10/26/2023
Other information	:	None.
Prepared by	:	Nexreg Compliance Inc.
		www.Nexreg.com

Full text of H-phrases	
Flam. Liq. 3	Flammable liquids Category 3

Indication of changes:					
Section	Changed item	Change	Comments		
14	Transport information	Modified	V1.1		
SDS	Product name	Modified	V1.1		

Safety Data Sheet (SDS), USA

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.